

USPTO PATENT FULL-TEXT AND IMAGE DATABASE

[Home](#)[Quick](#)[Advanced](#)[Pat Num](#)[Help](#)[Bottom](#)[View Cart](#)

Searching 1976 to present...

Results of Search in 1976 to present db for:

ACLM/"adapted to provide electrical power": 36 patents.

Hits 1 through 36 out of 36

[Jump To](#)[Refine Search](#)

PAT. NO.	Title
1 6,697,453	T Portable X-ray diffractometer
2 6,692,545	T Combined water gas shift reactor/carbon dioxide adsorber for use in a fuel cell system
3 6,641,286	T Fire extinguisher mount/locator
4 6,640,196	T System and method for motor fault detection by space vector angular fluctuation
5 6,631,762	T System and method for the production of oil from low volume wells
6 6,625,919	T Duck decoy with landing motion
7 6,589,018	T Electric fan motor assembly with motor housing control switch and electrical input socket
8 6,543,438	T Furnace with dual use inducer motor
9 6,530,818	T Audio device having the appearance of an animal
10 6,478,857	T Total delivery oxygen concentration system
11 6,443,574	T Removable vehicle entertainment system

- 12 6,402,684 **T** Apparatus for managing urinary flow in a host
 - 13 6,346,139 **T** Total delivery oxygen concentration system
 - 14 6,330,794 **T** Method and apparatus for using free radicals to reduce pollutants in the exhaust gases from the combustion of a fuel
 - 15 6,321,531 **T** Method and apparatus for using free radicals to reduce pollutants in the exhaust gases from the combustion of a fuel
 - 16 6,181,032 **T** Releasably connecting power packs to electrical appliances
 - 17 6,055,566 **T** Customizable media player with online/offline capabilities
 - 18 6,051,945 **T** Anti-pinch safety system for vehicle closure device
 - 19 6,047,543 **T** Method and apparatus for enhancing the rate and efficiency of gas phase reactions
 - 20 6,029,442 **T** Method and apparatus for using free radicals to reduce pollutants in the exhaust gases from the combustion of fuel
 - 21 5,921,022 **T** Rotating tree stand system
 - 22 5,765,761 **T** Electrostatic-induction spray-charging nozzle system
 - 23 5,714,805 **T** Vehicle accessory power take-off system including phono/RCA type plug and jack for use with cigarette lighter plug/jack
 - 24 5,627,798 **T** Hierarchical telemetry system for seismic acquisition
 - 25 5,553,907 **T** Rigid foam visor
 - 26 5,111,897 **T** Bridge weigh-in-motion system
 - 27 5,045,172 **T** Capillary electrophoresis apparatus
 - 28 5,012,689 **T** Vehicle foot pedal actuator apparatus and method
 - 29 4,959,756 **T** Chemiluminescent light element dispensing and activating apparatus
 - 30 4,905,325 **T** Automatic waste dump and cleaning system
 - 31 4,880,993 **T** Building heat and power system
 - 32 4,829,156 **T** Electric curling iron having a reversible motor-driven rotatable curling mandrel
 - 33 4,691,166 **T** Electromagnetic instruments for imaging structure in geologic formations
 - 34 4,446,461 **T** Instrumentation for a rotary machine
 - 35 4,386,140 **T** Multiple stage multiple filter hydrate store
 - 36 4,129,994 **T** Instant-cooling ice-maker air conditioner
-

<u>Top</u>		<u>View Cart</u>		
<u>Home</u>	<u>Quick</u>	<u>Advanced</u>	<u>Pat Num</u>	<u>Help</u>